

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



**U. S. DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service - Cotton Program**  
**Memphis, Tennessee**

# ***UNITED STATES***

## ***Cotton Quality Report***



***Classings Through March 30, 2006***



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 30, 2006

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	1	8	241	4,793	29,750	122,395	356,439	630,431	1,144,058
	3	-	13	201	4,321	34,693	148,951	479,332	944,628	1,612,139
	4	-	1	18	702	6,684	24,190	50,287	100,603	182,485
	5	1	-	-	53	787	2,926	3,263	2,989	10,019
	6	-	-	-	-	34	213	173	71	491
	7	-	-	-	-	-	8	1	3	12
	<b>TOTAL----</b>	<b>2</b>	<b>22</b>	<b>460</b>	<b>9,869</b>	<b>71,948</b>	<b>298,683</b>	<b>889,495</b>	<b>1,678,725</b>	<b>2,949,204</b>
31	1-2	-	-	20	418	3,830	23,686	70,927	111,601	210,482
	3	-	2	62	1,387	15,760	120,097	583,661	1,448,520	2,169,489
	4	-	3	37	663	7,437	46,787	208,618	676,077	939,622
	5	-	-	9	175	2,438	11,623	21,828	35,503	71,576
	6	-	-	2	18	633	3,244	4,879	2,811	11,587
	7	-	-	-	2	63	298	720	211	1,294
	<b>TOTAL----</b>	<b>-</b>	<b>5</b>	<b>130</b>	<b>2,663</b>	<b>30,161</b>	<b>205,735</b>	<b>890,633</b>	<b>2,274,723</b>	<b>3,404,050</b>
41	1-2	-	1	1	31	214	1,789	6,273	9,358	17,667
	3	-	-	25	177	2,337	25,856	194,363	557,858	780,616
	4	-	1	12	203	2,144	17,273	137,026	588,685	745,344
	5	-	-	3	43	804	3,806	14,293	44,905	63,854
	6	-	-	3	43	365	1,470	3,689	5,900	11,470
	7	-	-	-	3	104	465	1,269	722	2,563
	<b>TOTAL----</b>	<b>-</b>	<b>2</b>	<b>44</b>	<b>500</b>	<b>5,968</b>	<b>50,659</b>	<b>356,913</b>	<b>1,207,428</b>	<b>1,621,514</b>
51	1-2	-	-	-	-	19	132	307	572	1,030
	3	-	-	1	13	193	2,747	16,961	48,839	68,754
	4	-	-	-	3	79	1,670	17,943	75,716	95,411
	5	-	-	-	-	24	351	2,219	7,856	10,450
	6	-	-	-	-	10	106	524	1,827	2,467
	7	-	-	-	-	5	36	163	535	739
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>16</b>	<b>330</b>	<b>5,042</b>	<b>38,117</b>	<b>135,345</b>	<b>178,851</b>
61	1-2	-	-	-	3	1	4	10	14	32
	3	-	-	-	-	5	25	99	316	445
	4	-	-	-	-	3	23	120	395	541
	5	-	-	-	-	-	2	31	109	142
	6	-	-	-	-	-	4	7	15	26
	7	-	-	-	-	-	-	-	2	2
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>9</b>	<b>58</b>	<b>267</b>	<b>851</b>	<b>1,188</b>
71	1-2	-	-	-	-	-	-	1	5	6
	3	-	-	-	-	1	1	8	11	21
	4	-	-	-	-	-	3	8	45	56
	5	-	-	-	-	-	-	1	1	2
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>4</b>	<b>19</b>	<b>62</b>	<b>86</b>
12 & 22	1-2	-	1	48	408	2,372	8,658	16,400	17,224	45,111
	3	-	-	19	541	3,519	15,813	36,835	51,556	108,283
	4	-	-	5	130	843	2,869	6,949	12,176	22,972
	5	-	1	1	9	104	447	660	516	1,738
	6	-	-	-	-	10	63	60	19	152
	7	-	-	-	-	-	5	3	-	8
	<b>TOTAL----</b>	<b>-</b>	<b>2</b>	<b>73</b>	<b>1,088</b>	<b>6,848</b>	<b>27,855</b>	<b>60,907</b>	<b>81,491</b>	<b>178,264</b>
32	1-2	-	-	3	57	489	2,248	3,850	3,570	10,217
	3	-	-	22	412	2,787	17,318	57,990	93,335	171,864
	4	-	-	15	293	2,116	10,515	34,864	79,606	127,409
	5	-	-	-	49	504	2,401	4,723	6,166	13,843
	6	-	-	-	9	61	610	1,013	578	2,271
	7	-	-	-	-	5	129	113	67	314
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>40</b>	<b>820</b>	<b>5,962</b>	<b>33,221</b>	<b>102,553</b>	<b>183,322</b>	<b>325,918</b>
42	1-2	-	-	-	1	33	209	551	521	1,315
	3	-	-	16	107	787	5,411	24,979	57,772	89,072
	4	-	-	5	104	829	6,278	32,994	114,857	155,067
	5	-	-	2	33	302	1,544	5,788	15,508	23,177
	6	-	-	-	20	125	464	1,283	1,967	3,859
	7	-	-	-	8	38	122	246	304	718
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>23</b>	<b>273</b>	<b>2,114</b>	<b>14,028</b>	<b>65,841</b>	<b>190,929</b>	<b>273,208</b>
52	1-2	-	-	-	2	4	38	71	86	201
	3	-	-	3	23	127	1,281	8,896	22,915	33,245
	4	-	-	9	24	110	1,176	13,399	50,899	65,617
	5	-	-	1	2	18	197	1,933	7,714	9,865
	6	-	-	-	-	6	40	277	927	1,250
	7	-	-	-	-	-	12	62	167	241
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>13</b>	<b>51</b>	<b>265</b>	<b>2,744</b>	<b>24,638</b>	<b>82,708</b>	<b>110,419</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 30, 2006

QUALITY		LEAF	STAPLE							
COLOR	26 & - Bales		28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	4	1	1	6
	3	-	-	-	1	9	52	352	1,179	1,593
	4	-	-	-	-	6	52	651	2,874	3,583
	5	-	-	-	-	2	6	64	461	533
	6	-	-	-	-	-	3	12	49	64
	7	-	-	-	-	-	-	4	8	12
TOTAL----		-	-	-	1	17	117	1,084	4,572	5,791
13 & 23	1-2	-	-	2	132	611	1,762	2,846	2,634	7,987
	3	-	-	5	110	578	2,299	5,566	8,376	16,934
	4	-	-	1	27	254	570	1,014	1,529	3,395
	5	-	-	-	4	22	88	149	71	334
	6	-	-	-	-	-	7	4	3	14
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	8	273	1,465	4,726	9,579	12,613	28,664
33	1-2	-	-	1	17	96	278	521	561	1,474
	3	-	-	4	63	271	1,285	3,226	5,611	10,460
	4	-	-	1	34	341	1,111	2,085	3,413	6,985
	5	-	-	3	12	120	422	859	565	1,981
	6	-	-	-	2	18	99	262	78	459
	7	-	-	-	-	2	33	30	15	80
TOTAL----		-	-	9	128	848	3,228	6,983	10,243	21,439
43	1-2	-	-	-	-	5	18	53	59	135
	3	-	-	-	7	55	413	1,806	3,694	5,975
	4	-	-	2	7	70	472	2,024	5,484	8,059
	5	-	-	-	3	64	156	468	801	1,492
	6	-	-	-	1	17	82	232	150	482
	7	-	-	-	-	3	31	90	58	182
TOTAL----		-	-	2	18	214	1,172	4,673	10,246	16,325
53	1-2	-	-	-	-	2	4	6	4	16
	3	-	-	-	3	10	107	665	1,305	2,090
	4	-	-	-	2	14	110	1,201	3,825	5,152
	5	-	-	-	-	11	38	192	537	778
	6	-	-	-	-	3	4	28	81	116
	7	-	-	-	-	-	-	7	14	21
TOTAL----		-	-	-	5	40	263	2,099	5,766	8,173
63	1-2	-	-	-	-	1	3	13	1	18
	3	-	-	-	-	1	7	40	159	207
	4	-	-	-	5	11	25	82	438	561
	5	-	-	-	1	-	18	37	81	137
	6	-	-	-	-	1	1	2	3	7
	7	-	-	-	-	-	-	1	1	2
TOTAL----		-	-	-	6	14	54	175	683	932
24-54	1-7	-	1	5	21	516	1,457	2,455	3,170	7,625
25-35	1-7	-	-	-	22	32	76	116	42	288
81-85 1/	1-7	-	-	1	53	28	61	104	143	390
All Colors	8 2/	-	-	-	1	19	169	569	256	1,014
TOTAL, ALL----		2	32	809	15,811	126,799	649,352	2,457,220	5,883,318	9,133,343



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through  
March 30, 2006

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	746,150	558,045	291,593	95,880	44,719	13,863	2,894,308
	4	1,150,842	871,364	487,644	95,837	44,736	23,938	4,286,500
	5	128,317	100,544	57,378	7,915	1,205	1,603	479,447
	6	3,277	2,318	1,226	206	33	22	17,101
	7	74	53	22	5	-	-	645
	7	3	2	1	-	-	-	18
<b>TOTAL----</b>		<b>2,028,663</b>	<b>1,532,326</b>	<b>837,864</b>	<b>199,843</b>	<b>90,693</b>	<b>39,426</b>	<b>7,678,019</b>
31	1-2	99,745	55,103	23,053	8,995	6,223	5,254	408,855
	3	1,520,636	680,282	220,517	40,718	25,569	14,067	4,671,278
	4	1,012,240	578,445	184,584	19,507	4,138	2,994	2,741,530
	5	50,840	37,229	18,165	2,680	400	136	181,026
	6	2,596	1,865	974	121	8	-	17,151
	7	100	87	46	6	-	-	1,533
<b>TOTAL----</b>		<b>2,686,157</b>	<b>1,353,011</b>	<b>447,339</b>	<b>72,027</b>	<b>36,338</b>	<b>22,451</b>	<b>8,021,373</b>
41	1-2	6,497	2,503	914	124	24	22	27,751
	3	554,748	200,939	43,126	3,782	440	130	1,583,781
	4	987,876	529,739	120,638	7,410	620	177	2,391,804
	5	99,095	70,303	22,866	1,873	186	47	258,224
	6	9,417	6,546	2,808	297	18	2	30,558
	7	875	616	361	19	1	-	4,435
<b>TOTAL----</b>		<b>1,658,508</b>	<b>810,646</b>	<b>190,713</b>	<b>13,505</b>	<b>1,289</b>	<b>378</b>	<b>4,296,553</b>
51	1-2	428	104	25	3	1	-	1,591
	3	55,645	26,010	7,520	593	18	1	158,541
	4	126,893	79,201	23,641	1,729	3	43	326,921
	5	15,111	12,565	4,710	437	41	1	43,315
	6	2,857	2,286	534	24	2	-	8,170
	7	783	671	157	1	-	-	2,351
<b>TOTAL----</b>		<b>201,717</b>	<b>120,837</b>	<b>36,587</b>	<b>2,787</b>	<b>120</b>	<b>4</b>	<b>540,903</b>
61	1-2	5	4	1	-	1	-	43
	3	437	292	70	4	-	-	1,248
	4	921	775	237	22	-	-	2,496
	5	181	139	48	2	-	-	512
	6	41	29	15	-	-	-	111
	7	2	5	-	-	-	-	9
<b>TOTAL----</b>		<b>1,587</b>	<b>1,244</b>	<b>371</b>	<b>28</b>	<b>1</b>	<b>-</b>	<b>4,419</b>
71	1-2	3	-	-	-	-	-	9
	3	14	7	3	-	-	-	45
	4	49	10	1	-	-	-	116
	5	4	-	-	-	-	-	6
	6	-	-	-	-	-	-	1
	7	-	-	-	-	-	-	-
<b>TOTAL----</b>		<b>70</b>	<b>17</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>177</b>
12 & 22	1-2	12,844	6,316	2,117	561	141	199	67,289
	3	44,557	22,616	7,982	914	567	1,259	186,178
	4	12,020	6,045	2,478	297	74	313	44,199
	5	629	345	147	49	5	7	2,920
	6	21	23	3	-	-	-	199
	7	-	1	-	-	-	-	9
<b>TOTAL----</b>		<b>70,071</b>	<b>35,346</b>	<b>12,727</b>	<b>1,821</b>	<b>787</b>	<b>1,778</b>	<b>300,794</b>
32	1-2	2,089	944	385	185	121	187	14,128
	3	70,034	24,491	6,298	1,292	979	920	275,878
	4	90,395	38,933	9,047	817	363	667	267,631
	5	7,096	4,450	1,692	239	89	76	27,485
	6	514	427	174	24	3	2	3,415
	7	48	49	19	2	-	-	432
<b>TOTAL----</b>		<b>170,176</b>	<b>69,294</b>	<b>17,615</b>	<b>2,559</b>	<b>1,555</b>	<b>1,852</b>	<b>588,969</b>
42	1-2	385	151	80	24	20	2	1,977
	3	59,566	22,023	4,461	456	124	34	175,736
	4	173,875	87,871	17,261	772	111	40	434,997
	5	28,028	19,643	4,945	215	57	4	76,069
	6	2,311	1,581	549	68	5	-	8,373
	7	336	195	103	2	-	-	1,354
<b>TOTAL----</b>		<b>264,501</b>	<b>131,464</b>	<b>27,399</b>	<b>1,537</b>	<b>317</b>	<b>80</b>	<b>698,506</b>
52	1-2	66	23	8	1	-	-	299
	3	25,128	10,015	1,696	104	6	2	70,196
	4	74,725	38,963	8,177	309	14	1	187,806
	5	13,642	8,703	2,235	72	4	1	34,522
	6	1,478	1,015	259	12	1	-	4,015
	7	260	147	48	2	-	1	699
<b>TOTAL----</b>		<b>115,299</b>	<b>58,866</b>	<b>12,423</b>	<b>500</b>	<b>25</b>	<b>5</b>	<b>297,537</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 30, 2006

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	2	1	1	-	-	-	4	10
	3	1,517	570	49	2	-	-	2,138	3,731
	4	3,787	1,609	290	4	2	-	5,692	9,275
	5	623	294	71	2	1	-	991	1,524
	6	72	46	9	2	-	-	129	193
	7	1	1	1	-	-	-	3	15
<b>TOTAL----</b>		<b>6,002</b>	<b>2,521</b>	<b>421</b>	<b>10</b>	<b>3</b>	<b>-</b>	<b>8,957</b>	<b>14,748</b>
13 & 23	1-2	2,084	670	139	14	7	14	2,928	10,915
	3	6,834	3,234	845	68	40	33	11,054	27,988
	4	1,304	554	203	32	2	11	2,106	5,501
	5	71	38	6	1	-	-	116	450
	6	2	3	-	-	-	-	5	19
	7	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		<b>10,295</b>	<b>4,499</b>	<b>1,193</b>	<b>115</b>	<b>49</b>	<b>58</b>	<b>16,209</b>	<b>44,873</b>
33	1-2	499	214	66	17	8	3	807	2,281
	3	5,479	3,190	1,379	275	126	143	10,592	21,052
	4	3,905	2,381	1,151	151	60	173	7,821	14,806
	5	589	451	257	37	9	38	1,381	3,362
	6	64	65	26	2	-	-	157	616
	7	10	3	1	1	-	-	15	95
<b>TOTAL----</b>		<b>10,546</b>	<b>6,304</b>	<b>2,880</b>	<b>483</b>	<b>203</b>	<b>357</b>	<b>20,773</b>	<b>42,212</b>
43	1-2	54	23	26	2	1	-	106	241
	3	3,837	1,732	538	68	34	15	6,224	12,199
	4	7,129	3,835	1,058	82	47	31	12,182	20,241
	5	860	601	226	52	20	13	1,772	3,264
	6	145	103	75	16	1	-	340	822
	7	41	26	18	4	-	-	89	271
<b>TOTAL----</b>		<b>12,066</b>	<b>6,320</b>	<b>1,941</b>	<b>224</b>	<b>103</b>	<b>59</b>	<b>20,713</b>	<b>37,038</b>
53	1-2	5	-	2	1	-	-	8	24
	3	1,336	444	98	5	1	2	1,886	3,976
	4	5,403	2,299	298	7	4	3	8,014	13,166
	5	861	368	56	2	-	2	1,289	2,067
	6	106	49	23	1	-	-	179	295
	7	24	34	12	1	1	-	72	93
<b>TOTAL----</b>		<b>7,735</b>	<b>3,194</b>	<b>489</b>	<b>17</b>	<b>6</b>	<b>7</b>	<b>11,448</b>	<b>19,621</b>
63	1-2	2	-	-	-	-	-	2	20
	3	283	47	2	1	-	-	333	540
	4	747	196	14	-	1	-	958	1,519
	5	124	34	-	-	-	-	158	295
	6	14	3	-	-	-	-	17	24
	7	1	1	-	-	-	-	2	4
<b>TOTAL----</b>		<b>1,171</b>	<b>281</b>	<b>16</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>1,470</b>	<b>2,402</b>
24-54	1-7	3,166	1,597	652	74	43	11	5,543	13,168
25-35	1-7	11	15	2	-	-	-	28	316
81-85 1/	1-7	192	153	58	11	1	2	417	807
All Colors	8 2/	241	131	53	1	-	-	426	1,440
<b>TOTAL, ALL----</b>		<b>7,248,174</b>	<b>4,138,066</b>	<b>1,590,747</b>	<b>295,543</b>	<b>131,534</b>	<b>66,468</b>	<b>13,470,532</b>	<b>22,603,875</b>
EXTRANEEOUS MATTER		Average Staple -----							34.8
Bark - Level 1		Percent Tenderable -----							71.2
Bark - Level 2									
Grass - Level 1									
Grass - Level 2									
Prep - Level 1									
Prep - Level 2									
Other - Level 1									
Other - Level 2									

22,603,875 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.1	0.5	1.6	2.8	3.3	2.5	1.3	0.4	0.2	0.1	12.8
	3	-	*	*	*	0.2	0.7	2.1	4.2	5.1	3.9	2.2	0.4	0.2	0.1	19.0
	4	-	*	*	*	*	0.1	0.2	0.4	0.6	0.4	0.3	*	*	*	2.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		*	*	*	*	0.3	1.3	3.9	7.4	9.0	6.8	3.7	0.9	0.4	0.2	34.0
31	1-2	-	-	*	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	1.8
	3	-	-	*	*	0.1	0.5	2.6	6.4	6.7	3.0	1.0	0.2	0.1	0.1	20.7
	4	-	*	*	*	*	0.2	0.9	3.0	4.5	2.6	0.8	0.1	*	*	12.1
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	0.1	0.9	3.9	10.1	11.9	6.0	2.0	0.3	0.2	0.1	35.5
41	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.9	2.5	2.5	0.9	0.2	*	*	*	7.0
	4	-	*	*	*	*	0.1	0.6	2.6	4.4	2.3	0.5	*	*	*	10.6
	5	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.2	1.6	5.3	7.3	3.6	0.8	0.1	*	*	19.0
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	4	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.1	*	*	*	1.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	0.2	0.6	0.9	0.5	0.2	*	*	*	2.4
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	1.3
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	1.2
	4	-	-	*	*	*	*	0.2	0.4	0.4	0.2	*	*	*	*	1.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.5	0.8	0.8	0.3	0.1	*	*	*	2.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.8
	4	-	-	*	*	*	*	0.1	0.5	0.8	0.4	0.1	*	*	*	1.9
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.3	0.8	1.2	0.6	0.1	*	*	*	3.1
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8
	5	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.4	0.5	0.3	*	*	*	*	1.3

\* Less than 0.05 percent.



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2	
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL, ALL-----		*	*	*	0.1	0.6	2.9	10.9	26.0	32.1	18.3	7.0	1.3	0.6	0.3	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1	4.0																
Bark - Level 2	*																
Grass - Level 1	0.3																
Grass - Level 2	*																
Prep - Level 1	0.1																
Prep - Level 2	*																
Other - Level 1	0.1																
Other - Level 1	*																
		Average Staple 34.8															
		Percent Tenderable 71.2															

22,603,875 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.2	0.8	1.5	0.9	0.4	0.1	*	-	-	4.0
	4	-	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	1.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	<b>0.3</b>	<b>1.1</b>	<b>2.1</b>	<b>1.4</b>	<b>0.6</b>	<b>0.1</b>	*	-	-	<b>5.7</b>
31	1-2	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.9	5.6	11.0	8.4	3.2	0.6	*	*	-	29.6
	4	-	-	-	-	*	0.5	3.4	9.1	9.7	4.4	1.0	*	*	*	28.3
	5	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	-	-	1.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	<b>0.1</b>	<b>1.4</b>	<b>9.3</b>	<b>20.9</b>	<b>18.8</b>	<b>7.9</b>	<b>1.7</b>	*	*	*	<b>60.1</b>
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.4	2.4	4.4	3.3	1.2	0.2	*	*	-	12.0
	4	-	-	-	-	*	0.2	1.4	4.1	5.1	2.7	0.9	*	*	-	14.4
	5	-	-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	*	*	-	1.9
	6	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	<b>0.6</b>	<b>4.1</b>	<b>9.0</b>	<b>9.2</b>	<b>4.4</b>	<b>1.3</b>	<b>0.1</b>	*	-	<b>28.6</b>
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.2</b>	<b>0.1</b>	*	*	-	-	<b>1.2</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	*	-	-	-	<b>0.1</b>
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	<b>0.1</b>	<b>0.4</b>	<b>0.6</b>	<b>0.6</b>	<b>0.3</b>	*	*	*	-	<b>2.1</b>
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	1.0
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	<b>0.2</b>	<b>0.4</b>	<b>0.6</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	-	<b>1.7</b>
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	*	*	-	-	<b>0.2</b>

\* Less than 0.05 percent.



Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----			-	-	-	-	0.1	2.6	15.6	33.6	31.0	13.7	3.3	0.1	*	*	
EXTRANEEOUS MATTER																	
Bark - Level 1			2.0														
Bark - Level 2			*														
Grass - Level 1			0.2														
Grass - Level 2			*														
Prep - Level 1			0.2														
Prep - Level 2			-														
Other - Level 1			*														
Other - Level 1			-														

831,629 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.8	4.5	13.5	17.3	10.8	1.6	0.3	*	48.9
	3	-	-	-	*	*	*	0.3	1.4	4.3	5.9	4.5	0.8	0.2	*	17.4
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.2	0.2	0.1	*	*	1.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	1.1	6.1	18.2	23.5	15.4	2.5	0.5	*	67.6
31	1-2	-	-	-	-	*	*	0.5	1.7	3.0	2.5	1.2	0.2	*	*	9.0
	3	-	-	-	-	*	*	0.3	1.6	3.0	2.8	1.5	0.3	0.1	*	9.6
	4	-	-	-	-	*	0.1	0.4	0.8	0.6	0.4	0.3	0.1	*	*	2.8
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	0.2	1.3	4.3	6.8	5.8	3.1	0.6	0.1	*	22.2
41	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	1.0
	3	-	-	-	-	*	*	0.2	0.7	1.0	0.5	0.1	*	*	*	2.5
	4	-	-	-	*	*	*	0.2	0.3	0.3	0.1	0.1	*	*	*	1.1
	5	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	0.1	0.7	1.5	1.7	0.9	0.3	*	*	*	5.3
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	3	-	-	-	-	*	*	*	0.1	0.4	0.4	0.2	*	*	*	1.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.8	0.7	0.3	*	*	*	2.2
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.8
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	*	*	1.6
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.6
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*

\* Less than 0.05 percent.



Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.5	3.6	13.0	28.3	31.4	19.3	3.2	0.6	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.9														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		1.3														
Other - Level 2		*														

572,317 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	*	*	0.1	0.2	1.0	1.7	0.6	0.1	*	*	-	3.6
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.3	1.2	2.0	0.8	0.1	*	*	*	-	4.4
31	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.1	1.7	7.8	10.8	4.0	0.5	*	*	-	25.0
	4	-	-	-	*	*	*	0.7	4.6	9.4	4.8	0.6	*	*	-	20.2
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	2.5	12.6	20.5	9.0	1.2	*	*	-	46.0
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.6	2.5	3.9	1.3	0.1	*	*	-	8.4
	4	-	-	-	*	*	*	0.7	4.6	11.9	6.1	0.7	*	*	-	24.1
	5	-	-	-	-	-	*	*	0.3	1.1	0.7	0.1	*	*	-	2.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.3	7.4	17.0	8.1	0.9	*	*	-	34.8
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.3	0.9	0.9	0.3	*	*	*	-	2.4
	4	-	-	-	-	*	*	0.2	0.8	1.2	0.5	0.1	*	-	-	2.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.5	1.7	2.1	0.8	0.1	*	*	-	5.3
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.8	0.3	*	*	-	-	2.0
	4	-	-	-	-	*	*	0.3	1.4	2.6	1.3	0.2	*	-	-	5.8
	5	-	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	1.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.5	2.2	3.8	1.9	0.3	*	*	-	8.8
52	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.1

\* Less than 0.05 percent.



Table 5. -- **Arkansas** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL----		-	-	-	*	*	0.5	5.1	25.3	45.7	20.7	2.6	*	*	-	100.0
EXTRANEEOUS MATTER																Average Staple 34.9
Bark - Level 1	0.3															Percent Tenderable 74.4
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 2	-															

2,099,716 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.2	1.2	2.9	4.9	8.7	7.5	4.0	1.3	30.8
	3	-	-	-	*	*	*	0.1	0.5	2.1	6.8	14.0	6.5	4.1	2.3	36.3
	4	-	-	-	-	-	-	*	*	0.1	0.4	0.8	0.3	0.1	0.1	1.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.4	1.7	5.1	12.0	23.6	14.3	8.2	3.7	69.0
31	1-2	-	-	-	*	*	*	0.2	0.6	0.8	0.5	0.7	0.7	0.6	0.5	4.5
	3	-	-	-	-	*	*	0.1	0.5	1.4	2.9	4.8	2.8	2.3	1.3	16.3
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.9	2.1	0.7	0.3	0.3	4.7
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	1.2	2.4	4.5	7.9	4.3	3.2	2.1	26.1
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	0.9
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	0.6
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.5	0.4	0.5	0.1	*	*	2.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.1	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.8
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.6
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.1	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.2	0.1	0.2	0.2	1.1
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.4
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

\* Less than 0.05 percent.



Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	*	-	-	*	-	*		
	6		-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	*	*	*	*	*	-	*		
13 & 23	1-2		-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	*	*	*	*	*	*	*	*	*		
33	1-2		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	4		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	5		-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----			-	-	-	-	*	*	*	*		0.1	*	*	*	0.2		
43	1-2		-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6		-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7		-	-	-	-	-	-	-	-	*	*	*	*	-	*		
TOTAL----			-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
53	1-2		-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	3		-	-	-	-	-	*	-	*	*	*	*	*	*	*		
	4		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5		-	-	-	-	-	-	*	-	*	*	*	*	*	*		
	6		-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7		-	-	-	-	-	-	-	-	-	*	*	*	*	*		
TOTAL----			-	-	-	-	*	*	*	*	*	*	*	*	*	*		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	*	-	*	-	-	*		
	4		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	*	-	*	-	-	*		
24-54	1-7		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	-	-	*	*	*	*	*	*	*		
All Colors	8 2/		-	-	-	-	-	-	-	-	*	*	-	-	-	*		
TOTAL, ALL-----			-	-	-	*	*	0.2	1.1	3.5	8.3	17.4	32.6	19.0	11.8	6.3	100.0	
EXTRANEIOUS MATTER																		
Bark - Level 1	1.3																	
Bark - Level 2	*																	
Grass - Level 1	0.4																	
Grass - Level 2	*																	
Prep - Level 1	*																	
Prep - Level 2	*																	
Other - Level 1	0.1																	
Other - Level 1	-																	
																	Average Staple	37.1
																	Percent Tenderable	93.6

1,053,001 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.1	0.1	-	*	-	-	-	0.3
	3	-	-	-	-	-	-	0.1	1.0	1.6	0.5	*	-	-	-	3.4
	4	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	<b>0.2</b>	<b>1.2</b>	<b>1.9</b>	<b>0.7</b>	<b>0.1</b>	-	-	-	<b>4.1</b>
31	1-2	-	-	-	-	-	*	0.4	0.8	0.3	*	-	-	-	-	1.5
	3	-	-	-	-	*	0.2	3.6	17.0	18.6	4.6	0.4	*	-	-	44.5
	4	-	-	-	-	-	*	0.3	2.9	6.8	3.6	0.6	*	-	-	14.2
	5	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	<b>0.3</b>	<b>4.3</b>	<b>20.7</b>	<b>25.8</b>	<b>8.3</b>	<b>1.0</b>	*	-	-	<b>60.4</b>
41	1-2	-	-	-	-	-	*	-	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	2.3	9.5	7.3	1.6	0.2	-	-	-	20.9
	4	-	-	-	-	-	*	0.5	3.3	5.7	2.2	0.4	*	-	-	12.3
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	<b>0.1</b>	<b>2.9</b>	<b>12.9</b>	<b>13.1</b>	<b>3.9</b>	<b>0.6</b>	*	-	-	<b>33.6</b>
51	1-2	-	-	-	-	-	*	-	-	-	*	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.5	0.2	*	*	-	-	-	0.9
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	<b>0.2</b>	<b>0.8</b>	<b>0.3</b>	<b>0.1</b>	*	-	-	-	<b>1.4</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	*	*	<b>0.1</b>	*	*	-	-	-	<b>0.2</b>
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	-	-	-	<b>0.3</b>
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL----</b>		-	-	-	-	*	0.5	7.6	35.8	41.3	13.1	1.7	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		-														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

112,142 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	*	0.2	1.0	1.3	0.5	0.1	*	*	-	3.1
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.3</b>	<b>1.2</b>	<b>1.5</b>	<b>0.6</b>	<b>0.1</b>	*	*	-	<b>3.7</b>
31	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.2	2.4	10.2	11.5	3.1	0.5	*	*	*	27.9
	4	-	-	-	*	*	*	0.6	3.2	5.4	2.6	0.7	*	*	-	12.5
	5	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	<b>0.2</b>	<b>3.1</b>	<b>13.7</b>	<b>17.0</b>	<b>5.9</b>	<b>1.2</b>	*	*	*	<b>41.1</b>
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.3	3.2	9.4	7.5	1.9	0.3	*	*	*	22.6
	4	-	-	-	*	*	0.1	1.8	7.9	10.0	4.3	1.2	*	*	*	25.4
	5	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	<b>0.4</b>	<b>5.1</b>	<b>17.5</b>	<b>17.9</b>	<b>6.4</b>	<b>1.6</b>	<b>0.1</b>	*	*	<b>48.9</b>
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.1
	4	-	-	-	-	*	*	0.2	0.7	0.8	0.4	0.1	*	*	-	2.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>1.2</b>	<b>1.2</b>	<b>0.6</b>	<b>0.2</b>	*	*	*	<b>3.6</b>
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	-	-	<b>0.4</b>
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	*	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.3</b>	<b>0.1</b>	*	*	-	<b>1.3</b>
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.1</b>	*	*	*	<b>0.6</b>

\* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL----</b>		-	-	-	-	-	0.7	9.1	34.1	38.5	14.1	3.3	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.9															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

2,101,906 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 9. - **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	0.1	0.3	0.3	0.1	*	-	-	0.9
	3	-	-	*	0.4	0.6	0.7	0.7	1.6	2.6	1.4	1.1	*	-	-	9.0
	4	-	-	*	0.3	1.0	2.1	1.1	0.6	0.9	0.4	0.2	*	-	-	6.6
	5	-	-	-	*	0.3	0.6	0.4	0.1	0.1	*	*	-	-	-	1.6
	6	-	-	-	-	*	0.1	*	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	0.7	2.0	3.5	2.3	2.4	3.9	2.0	1.4	*	-	-	18.3
31	1-2	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	-	-	-	0.5
	3	-	-	*	*	0.4	1.0	1.2	1.7	2.4	1.8	1.7	0.1	-	-	10.3
	4	-	-	*	0.1	1.0	3.5	4.2	2.5	3.1	1.3	1.0	*	-	-	16.7
	5	-	-	*	0.1	1.1	4.9	6.0	1.4	1.0	0.4	0.2	*	-	-	15.2
	6	-	-	-	*	0.4	2.2	3.1	0.5	0.1	*	*	-	-	-	6.4
	7	-	-	-	-	*	0.2	0.6	0.1	*	*	-	-	-	-	0.9
TOTAL----		-	-	*	0.2	2.9	11.8	15.1	6.3	6.8	3.7	3.0	0.1	-	-	50.0
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	*	0.1	0.2	0.5	0.2	0.2	0.1	*	*	-	-	1.3
	5	-	-	-	*	0.3	1.0	1.3	0.5	0.3	0.1	*	-	-	-	3.6
	6	-	-	-	*	0.3	1.0	1.8	0.5	0.1	*	*	-	-	-	3.6
	7	-	-	-	-	0.1	0.4	1.0	0.2	*	*	*	-	-	-	1.7
TOTAL----		-	-	-	*	0.8	2.6	4.7	1.4	0.6	0.2	0.1	*	-	-	10.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	0.2	0.2	0.2	0.2	0.5	0.8	0.3	0.1	*	-	-	2.5
	4	-	-	*	*	0.3	0.4	0.3	0.3	0.3	0.1	*	-	-	-	1.9
	5	-	*	*	*	0.1	0.1	0.2	*	*	*	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	0.2	0.5	0.7	0.8	0.9	1.2	0.5	0.2	*	*	-	5.1
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.3	0.3	0.3	*	-	-	1.5
	4	-	-	-	*	0.1	0.4	0.6	0.6	0.4	0.2	0.2	*	-	-	2.6
	5	-	-	-	*	0.1	0.6	1.2	0.3	0.2	0.1	0.1	*	-	-	2.7
	6	-	-	-	*	*	0.4	0.6	0.1	0.1	*	*	-	-	-	1.2
	7	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
TOTAL----		-	-	-	*	0.3	1.6	2.8	1.2	1.0	0.8	0.6	*	*	-	8.2
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	7	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
TOTAL----		-	-	-	*	0.2	0.4	0.2	0.1	*	*	*	-	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	-	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.



Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	*	-	-	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	*	0.1	0.2	0.1	0.2	0.2	0.1	*	*	-	-	1.0	
	4	-	-	*	*	0.2	0.2	*	0.1	0.1	*	*	-	-	-	0.6	
	5	-	-	-	*	*	*	*	*	*	-	*	-	-	-	0.1	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	*	*	0.3	0.5	0.1	0.3	0.3	0.1	*	*	-	-	1.7	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	*	0.2	*	0.1	0.1	0.1	0.1	*	-	-	0.7	
	4	-	-	-	*	0.2	0.3	0.2	0.1	0.1	*	*	*	-	-	1.1	
	5	-	-	-	*	0.1	0.2	0.4	0.1	0.1	*	*	-	-	-	0.9	
	6	-	-	-	*	*	0.1	0.2	*	*	*	*	-	-	-	0.3	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
TOTAL----		-	-	-	*	0.3	0.8	0.9	0.3	0.3	0.2	0.2	*	-	-	3.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	-	-	-	-	*	-	-	-	*	
	4	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*	
	5	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1	
	6	-	-	-	-	-	*	0.1	*	*	*	-	-	-	-	0.2	
	7	-	-	-	-	-	*	0.1	*	*	*	-	-	-	-	0.1	
TOTAL----		-	-	-	-	*	*	0.3	*	*	*	*	-	-	-	0.5	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	*	0.2	0.4	0.2	0.1	*	*	*	-	-	-	1.0	
25-35	1-7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	*	*	0.1	0.5	0.1	*	-	-	-	-	-	0.7	
TOTAL, ALL-----		*	*	*	1.3	7.3	22.3	28.1	13.3	14.3	7.5	5.5	0.2	*	-	100.0	
EXTRANEEOUS MATTER																Average Staple	33.5
Bark - Level 1		12.4														Percent Tenderable	28.6
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		0.1															
Other - Level 1		-															

92,404 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.8	2.6	3.3	1.3	0.3	*	*	-	-	8.4
	3	-	-	-	*	*	0.6	2.9	6.0	4.3	1.5	0.3	*	*	-	15.5
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	-	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	1.4	5.5	9.5	6.0	1.9	0.4	*	*	-	24.8
31	1-2	-	-	-	*	*	0.3	0.9	1.0	0.4	0.1	*	*	-	-	2.7
	3	-	-	-	*	*	1.2	6.6	15.5	11.1	3.6	0.6	*	*	-	38.7
	4	-	-	-	-	*	0.1	0.5	2.5	4.2	2.7	0.8	0.1	*	-	10.9
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	1.6	8.1	19.1	15.9	6.5	1.5	0.2	*	-	52.8
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.3	1.8	4.0	2.8	0.7	0.1	*	*	-	9.6
	4	-	-	-	-	*	0.1	0.4	1.6	2.6	1.6	0.4	*	*	*	6.7
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	0.4	2.3	5.7	5.5	2.5	0.7	0.1	*	*	17.1
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	*	-	1.1
	4	-	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	*	-	1.0
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.3	0.6	0.7	0.4	0.1	*	*	-	2.1
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	1.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.2	*	*	-	2.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1

\* Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	0.1	3.5	16.5	35.7	29.1	12.0	2.8	0.3	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.4
		Percent Tenderable														78.4
Bark - Level 1		*														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,105,638 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.7	0.3	*	*	*	*	-	1.5
	3	-	-	-	*	*	0.2	1.1	2.6	2.1	0.6	0.2	*	*	-	6.7
	4	-	-	-	*	*	*	*	0.2	0.3	0.1	*	*	*	-	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	1.5	3.4	2.6	0.8	0.2	*	*	-	8.8
31	1-2	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	*	*	-	1.5
	3	-	-	-	*	*	0.8	5.3	12.6	10.5	3.0	0.7	*	*	-	32.9
	4	-	-	-	*	*	0.2	1.3	5.4	8.0	3.4	0.7	*	*	-	18.9
	5	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	1.1	7.1	18.7	19.0	6.6	1.4	0.1	*	*	53.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	0.1	1.0	2.5	2.1	0.6	0.1	*	*	-	6.5
	4	-	-	-	-	*	0.1	0.9	4.1	6.5	2.9	0.5	*	*	-	15.0
	5	-	-	-	-	*	*	0.1	0.4	0.9	0.5	0.1	*	*	-	2.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.3	2.1	7.0	9.6	4.0	0.7	*	*	-	23.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	0.1	0.4	0.8	0.7	0.2	*	*	*	-	2.1
	4	-	-	-	*	*	*	0.3	1.0	1.3	0.5	0.1	*	*	-	3.2
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.7	1.9	2.1	0.7	0.1	*	*	*	5.6
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	*	-	1.0
	4	-	-	-	-	*	*	0.3	1.4	2.2	0.9	0.1	*	*	-	5.0
	5	-	-	-	-	*	*	*	0.2	0.4	0.2	*	*	*	-	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.5	1.9	2.9	1.3	0.2	*	*	-	6.9
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2

\* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	*	0.1	1.8	12.0	33.2	36.6	13.6	2.6	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.6															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

2,089,259 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.2	0.6	1.0	0.5	0.1	*	-	-	2.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	0.7	1.2	0.7	0.1	*	-	-	3.0
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	2.9	11.2	16.7	8.6	1.5	*	*	-	41.3
	4	-	-	-	-	*	*	0.5	3.8	8.9	7.2	2.3	*	*	-	22.7
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	3.6	15.4	25.9	16.0	3.9	0.1	*	-	65.2
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.4	1.8	3.7	2.3	0.3	*	-	-	8.5
	4	-	-	-	-	*	*	0.2	1.6	5.2	5.2	1.1	*	*	-	13.3
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.5	3.5	9.2	7.8	1.5	*	*	-	22.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.8	1.6	1.0	0.2	*	*	-	-	3.7
	4	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	1.0	2.3	1.7	0.4	*	*	-	-	5.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	4	-	-	-	-	*	*	0.1	0.7	0.7	0.3	*	*	-	-	1.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.4	1.3	1.3	0.4	*	*	-	-	3.5
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.



Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.5	5.7	23.3	39.4	25.4	5.6	0.1	*	-	100.0
EXTRANEEOUS MATTER		Average Staple														35.0
		Percent Tenderable														71.8
Bark - Level 1		0.1														
Bark - Level 2		*														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

864,415 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.4	3.4	14.2	22.3	15.3	3.1	0.6	*	59.5
	3	-	-	-	-	*	0.1	0.8	1.6	2.2	4.9	6.4	2.9	0.8	0.1	19.8
	4	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.4	0.3	0.2	0.1	1.4
	5	-	-	-	-	-	-	*	-	*	*	*	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	0.2	1.2	5.1	16.5	27.4	22.2	6.4	1.6	0.2	80.8
31	1-2	-	-	-	-	-	*	0.1	0.6	1.5	3.2	2.2	0.3	*	-	7.9
	3	-	-	-	-	-	*	0.1	0.4	1.0	2.5	2.8	0.8	0.2	*	7.8
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	0.6	0.6	0.1	*	1.9
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	*	0.2	1.1	2.7	5.9	5.7	1.8	0.4	*	17.9
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.1	*	-	0.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.2
32	1-2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
42	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*

\* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	*	*	-	*
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	*	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	*	0.2	1.5	6.4	19.5	33.5	28.1	8.4	2.1	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.5															Average Staple 36.1
Bark - Level 2	-															Percent Tenderable 76.9
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	*															

51,470 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 14. -- **North Carolina** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.3	1.3	1.6	0.8	0.2	*	*	-	4.3
	4	-	-	-	*	*	*	0.1	0.6	1.2	0.8	0.2	*	*	-	2.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.5	1.9	2.9	1.8	0.4	*	*	-	7.5
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	1.1	4.5	5.4	2.4	0.5	*	*	-	14.0
	4	-	-	-	*	*	*	0.9	5.4	9.9	6.2	1.4	*	*	-	23.9
	5	-	-	-	-	*	*	*	0.3	0.8	0.8	0.2	*	*	-	2.2
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	2.0	10.2	16.2	9.4	2.1	0.1	*	*	40.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.5	1.8	2.4	1.1	0.2	*	*	-	6.1
	4	-	-	-	*	*	*	0.7	3.3	6.1	3.6	0.8	*	-	-	14.6
	5	-	-	-	-	-	*	*	0.3	0.7	0.6	0.2	*	*	-	1.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.2	5.5	9.2	5.3	1.1	*	*	-	22.5
61	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.3	0.9	0.9	0.4	0.1	*	-	-	2.6
	4	-	-	-	*	*	*	0.4	1.6	2.4	1.2	0.2	*	*	-	5.9
	5	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.8	2.7	3.6	1.8	0.3	*	*	-	9.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.5	1.3	1.3	0.4	*	*	-	-	3.6
	4	-	-	-	*	*	0.1	0.8	3.1	4.2	1.9	0.3	*	-	-	10.3
	5	-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.1	*	-	-	1.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	1.4	4.8	6.3	2.8	0.4	*	-	-	15.9

\* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	-	-	0.9
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.1	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.5	6.4	26.4	40.0	22.0	4.5	0.1	*	*	100.0
EXTRANEEOUS MATTER																Average Staple 34.9
Bark - Level 1	1.5															Percent Tenderable 62.3
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	-															
Prep - Level 1	0.6															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 2	-															

1,398,369 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	0.1	0.5	1.2	2.8	5.2	7.3	6.7	4.1	0.4	*	-	28.3
	3	-	*	*	*	0.4	1.4	4.0	7.3	7.8	6.2	5.1	1.1	*	*	33.2
	4	-	-	-	*	*	0.1	0.4	0.8	0.8	0.5	0.2	*	*	-	3.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.9	2.7	7.2	13.3	16.0	13.4	9.4	1.5	*	*	64.6
31	1-2	-	-	*	*	*	0.1	0.3	0.6	0.7	0.7	0.4	*	*	-	2.9
	3	-	-	*	*	0.1	0.5	1.3	2.4	2.7	2.6	2.1	0.4	*	-	12.2
	4	-	-	*	*	0.1	0.3	0.7	1.4	1.4	0.9	0.5	0.1	*	-	5.5
	5	-	-	-	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	-	1.3
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.3	1.0	2.5	4.8	5.2	4.4	3.2	0.6	*	-	22.0
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	0.1	*	*	*	*	*	-	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*	0.9
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	0.1	0.2	0.3	0.6	0.5	0.3	0.1	*	-	-	2.2
	3	-	-	*	*	0.1	0.2	0.7	1.2	1.2	0.5	0.2	*	-	-	4.1
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.2	0.5	1.1	2.0	1.9	0.9	0.3	*	-	-	7.0
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	-	-	1.1
	4	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	-	-	0.8
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.4	0.7	0.6	0.4	0.1	*	-	-	2.5
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.3
52	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY		LEAF	STAPLE															
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	*	0.1	0.1	0.1	0.2	0.1	*	*	-	-	-	0.7		
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7		
	4	-	-	-	-	*	*	*	*	*	0.1	*	*	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	*	-	-	-	1.4	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1		
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3		
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2		
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1		
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*		
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4		
25-35	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	*	*	*	-	-	-	*	-	-	-	*		
TOTAL, ALL-----		-	*	*	0.3	1.7	4.7	11.8	22.0	24.5	19.5	13.2	2.2	0.1	*	100.0		
EXTRANEEOUS MATTER																Average Staple	34.8	
Bark - Level 1		9.1															Percent Tenderable	73.9
Bark - Level 2		"																
Grass - Level 1		0.1																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		*																

340,921 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.2	*	*	*	-	0.9
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	*	-	1.2
31	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.8	3.5	4.5	1.6	0.4	*	*	-	10.9
	4	-	-	-	-	*	*	0.2	0.9	2.0	1.6	0.4	*	*	-	5.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.0	4.6	6.7	3.3	0.8	0.1	*	-	16.6
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.3	2.5	10.8	11.5	3.6	0.5	*	-	-	29.2
	4	-	-	-	-	*	*	1.1	7.4	12.1	6.3	1.5	*	*	-	28.5
	5	-	-	-	-	-	*	*	0.2	0.6	0.7	0.3	*	*	-	1.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.3	3.7	18.4	24.3	10.6	2.3	0.1	*	-	59.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.5	2.0	1.8	0.5	0.1	*	-	-	4.9
	4	-	-	-	-	*	*	0.4	1.9	2.5	1.2	0.3	*	-	-	6.4
	5	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.9	4.0	4.5	2.0	0.5	*	*	-	12.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	0.7
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.5	0.7	0.3	0.1	*	-	-	1.7
	4	-	-	-	-	*	*	0.1	0.5	1.3	0.9	0.4	*	-	-	3.2
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.0	2.1	1.4	0.5	*	*	-	5.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.2	0.4	0.2	*	*	-	-	0.9
	4	-	-	-	-	-	*	0.1	0.3	0.9	0.6	0.2	*	*	-	2.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.6	1.4	1.0	0.3	*	*	-	3.5

\* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	*	-	-	-	<b>0.1</b>
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	*	-	-	-	<b>0.1</b>
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	-	-	<b>0.3</b>
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	<b>0.1</b>	*	*	-	-	-	<b>0.1</b>
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL----</b>		-	-	-	*	*	<b>0.5</b>	<b>6.1</b>	<b>29.3</b>	<b>40.2</b>	<b>18.9</b>	<b>4.7</b>	<b>0.2</b>	*	*	<b>100.0</b>
EXTRANEEOUS MATTER		Average Staple														<b>34.9</b>
		Percent Tenderable														<b>85.8</b>
Bark - Level 1	0.9															
Bark - Level 2	*															
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

**391,283** Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 17. — **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	*	*	0.3	1.4	2.2	1.5	0.4	*	-	-	-	5.7
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>1.7</b>	<b>2.6</b>	<b>1.8</b>	<b>0.5</b>	<b>*</b>	<b>*</b>	-	-	<b>7.1</b>
31	1-2	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.7
	3	-	-	-	*	*	1.6	8.3	13.6	8.4	2.1	0.2	*	-	-	34.2
	4	-	-	-	*	*	0.7	4.2	11.2	10.6	3.4	0.4	*	-	-	30.6
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	-	-	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	<b>0.1</b>	<b>2.4</b>	<b>12.9</b>	<b>25.2</b>	<b>19.4</b>	<b>5.7</b>	<b>0.6</b>	<b>*</b>	-	-	<b>66.4</b>
41	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.8	1.6	0.9	0.2	*	-	-	-	3.7
	4	-	-	-	*	*	0.2	1.3	3.5	3.3	1.0	0.1	*	-	-	9.3
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	-	-	-	1.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	<b>0.3</b>	<b>2.2</b>	<b>5.5</b>	<b>4.7</b>	<b>1.4</b>	<b>0.2</b>	<b>*</b>	-	-	-	<b>14.3</b>
51	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	<b>0.1</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	-	-	-	<b>0.2</b>
32	1-2	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.4	1.4	1.5	0.6	0.1	*	*	-	-	4.0
	4	-	-	-	*	*	0.2	0.8	1.1	0.7	0.2	*	-	-	-	2.9
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	<b>0.6</b>	<b>2.3</b>	<b>2.7</b>	<b>1.3</b>	<b>0.2</b>	<b>*</b>	<b>*</b>	-	-	-	<b>7.2</b>
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	-	-	-	1.5
	4	-	-	-	-	*	0.1	0.5	0.9	0.6	0.2	*	-	-	-	2.4
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	<b>0.2</b>	<b>1.0</b>	<b>1.7</b>	<b>1.1</b>	<b>0.2</b>	<b>*</b>	<b>*</b>	-	-	-	<b>4.2</b>
52	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
<b>TOTAL, ALL-----</b>		-	-	-	*	0.2	4.0	20.3	38.0	28.5	8.2	0.8	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,083,010 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.3	1.3	3.6	6.2	7.0	4.5	1.4	0.1	*	*	24.4
	3	-	*	*	*	0.4	1.6	4.5	8.5	10.7	8.2	3.4	0.2	*	*	37.5
	4	-	*	*	*	0.1	0.3	0.5	1.0	1.2	1.0	0.5	*	*	*	4.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	*	*	*	0.1	0.8	3.1	8.7	15.7	18.9	13.6	5.3	0.3	*	*	66.6
31	1-2	-	-	*	*	*	0.2	0.4	0.6	0.6	0.3	0.1	*	*	-	2.3
	3	-	*	*	*	0.1	0.6	1.6	2.7	3.6	2.7	1.0	0.1	*	*	12.4
	4	-	*	*	*	0.1	0.3	0.7	1.4	2.0	1.7	0.8	0.1	*	*	7.2
	5	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	-	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	0.3	1.2	2.9	5.0	6.6	5.0	2.0	0.2	*	*	23.2
41	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	-	1.2
	4	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	*	1.5
	5	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.7
	6	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	0.2	0.4	0.8	1.1	0.8	0.4	0.1	*	*	3.8
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	3	-	-	*	*	*	0.2	0.4	0.5	0.4	0.2	0.1	*	*	-	1.7
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	-	-	*	-	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.3	0.6	0.8	0.6	0.3	0.1	*	*	-	2.8
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	0.7
	4	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	-	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.2	0.1	*	*	-	1.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	-	0.7
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1

\* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
53	1-2	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL, ALL-----</b>		*	*	*	0.2	1.3	5.2	13.4	23.1	28.0	20.1	8.0	0.6	*	*	100.0
<b>EXTRANEIOUS MATTER</b>																
Bark - Level 1	8.8															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

8,249,631 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
31	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	0.1	0.4	1.6	2.0	1.1	0.2	*	*	5.5
	4	-	-	-	-	-	*	*	0.2	1.1	1.8	1.1	0.2	*	*	4.5
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.7	2.9	3.9	2.4	0.4	*	*	10.4
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.2	1.2	3.9	4.7	2.4	0.2	*	*	12.8
	4	-	-	-	-	-	*	0.1	1.3	5.0	6.6	4.0	0.5	*	*	17.5
	5	-	-	-	-	-	-	*	*	0.3	0.6	0.4	*	*	-	1.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	2.5	9.2	11.9	6.8	0.8	*	*	31.7
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.9	2.8	3.1	1.9	0.2	*	*	8.9
	4	-	-	-	-	-	*	0.1	1.4	5.2	6.7	4.1	0.4	-	-	18.0
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.3	*	-	-	0.8
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	2.4	8.1	10.1	6.3	0.6	*	*	27.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	0.6
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	0.9
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	0.3	1.0	1.4	0.8	0.2	*	*	-	3.7
	4	-	-	-	-	-	*	0.2	0.9	1.8	1.1	0.4	*	*	*	4.4
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.4	1.9	3.3	2.0	0.7	*	*	*	8.4
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	0.2	1.3	2.1	1.3	0.4	*	*	-	5.4
	4	-	-	-	*	-	*	0.3	2.0	4.5	3.8	1.3	0.1	*	-	12.0
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	-	-	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	-	*	0.5	3.4	6.9	5.5	1.9	0.1	*	-	18.4

\* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
March 30, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	0.1	0.2	0.3	0.1	*	-	-	0.6
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	*	0.1	1.7	11.3	31.5	34.7	18.5	2.0	0.1	*	100.0
EXTRANEIOUS MATTER		Average Staple														35.6
		Percent Tenderable														60.0
Bark - Level 1	0.5															
Bark - Level 2	-															
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 2	-															

166,764 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through March 30, 2006

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>MIKE</b> 24 & below	*	*	-	*	-	*	0.1	-	-
25	*	*	-	*	-	*	0.1	-	-
26	*	*	-	*	*	*	0.3	-	-
27	*	0.1	*	0.1	*	*	0.4	*	*
28	*	0.1	*	0.1	*	*	0.5	*	*
29	*	0.1	*	0.1	*	*	1.1	*	*
30	*	0.2	*	0.2	*	*	1.5	*	*
31	0.1	0.3	*	0.3	*	*	2.2	*	*
32	0.2	0.4	*	0.3	0.1	0.1	3.1	*	*
33	0.3	0.5	*	0.4	0.2	0.1	4.3	*	*
34	0.6	0.7	*	0.6	0.3	0.2	5.5	*	0.1
35	1.1	0.9	0.1	1.0	0.3	0.4	6.9	*	0.2
36	1.8	1.2	0.3	1.6	0.4	0.5	8.6	0.1	0.3
37	2.6	1.6	0.7	2.5	0.6	0.7	7.7	0.3	0.6
38	3.5	2.2	1.5	3.5	0.8	1.0	6.4	0.4	1.1
39	4.6	2.7	3.0	5.1	1.4	1.5	5.0	0.6	1.9
40	5.6	3.3	4.9	7.2	2.4	2.2	4.1	1.1	3.1
41	6.4	3.7	7.0	8.7	3.5	3.3	3.5	1.9	4.5
42	7.3	4.5	8.4	10.3	5.2	4.8	3.5	3.1	5.9
43	7.9	5.2	8.0	11.7	7.8	7.1	3.1	4.7	7.6
44	9.0	6.1	7.6	11.6	11.5	10.0	3.1	6.8	9.5
45	10.2	6.9	7.5	10.7	15.0	13.1	3.8	9.3	11.5
46	10.9	8.0	8.4	9.2	17.6	15.4	3.4	12.5	12.7
47	10.1	9.3	9.1	6.8	14.7	15.4	3.3	15.2	12.7
48	7.7	9.6	9.3	4.3	10.6	12.3	3.2	16.0	11.0
49	5.1	9.5	8.6	2.0	5.3	7.4	3.0	12.7	7.9
50	2.9	8.5	6.6	0.8	1.9	3.2	2.3	8.0	4.9
51	1.3	6.5	4.4	0.4	0.4	1.0	1.8	4.2	2.7
52	0.5	4.4	2.6	0.2	0.1	0.3	2.1	2.0	1.2
53	0.1	2.3	1.2	0.1	*	*	1.8	0.8	0.4
54	*	0.9	0.5	*	*	*	1.5	0.2	0.1
55	*	0.3	0.2	*	*	*	1.5	0.1	*
56	*	0.1	0.1	*	*	*	1.0	*	*
57	*	*	*	-	*	-	0.3	*	*
58	*	*	*	-	-	-	0.1	*	*
59	-	*	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>44</b>	<b>46</b>	<b>45</b>	<b>43</b>	<b>45</b>	<b>45</b>	<b>40</b>	<b>47</b>	<b>46</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	*	*	-	-	-	-	*
20	-	*	*	*	-	-	*	-	*
21	-	*	*	*	-	*	*	-	*
22	*	0.1	*	*	*	*	*	-	*
23	*	0.2	*	*	*	*	0.1	*	*
24	0.2	0.6	0.1	*	0.2	0.1	0.2	0.3	0.2
25	0.9	1.8	0.6	0.1	0.9	0.7	0.5	1.7	1.1
26	4.1	4.4	2.7	0.3	3.7	2.7	3.3	6.4	4.2
27	12.2	9.0	9.5	0.9	12.5	8.7	12.4	16.5	12.1
28	21.7	14.6	22.8	2.3	25.8	20.3	25.0	26.4	22.9
29	23.9	20.7	29.4	3.7	30.4	28.5	24.5	23.4	26.1
30	17.8	21.7	19.9	4.7	16.8	21.5	18.9	13.7	18.6
31	10.6	15.6	9.1	6.5	6.2	10.7	10.8	6.8	9.2
32	5.2	7.7	3.8	10.2	2.3	4.5	3.5	3.1	3.5
33	2.3	2.7	1.4	11.7	0.8	1.7	0.6	1.2	1.2
34	0.8	0.7	0.5	16.2	0.3	0.6	0.1	0.4	0.6
35	0.2	0.2	0.1	20.0	*	0.1	*	0.1	0.3
36 & above	*	*	*	23.5	*	*	*	*	0.1
<b>Average strength</b>	<b>29.1</b>	<b>29.3</b>	<b>29.1</b>	<b>33.7</b>	<b>28.7</b>	<b>29.2</b>	<b>28.9</b>	<b>28.6</b>	<b>28.9</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through  
March 30, 2006

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>MIKE</b> 24 & below	-	0.3	*	0.1	-	-	0.1	*	*
25	*	0.2	*	0.2	*	*	0.2	*	0.1
26	*	0.2	-	0.3	*	*	0.4	-	0.2
27	*	0.6	*	0.3	*	*	0.7	*	0.3
28	*	0.9	*	0.4	*	*	1.2	-	0.5
29	*	1.5	*	0.5	*	*	1.8	-	0.7
30	*	1.9	*	0.7	*	*	2.5	-	1.0
31	*	2.8	*	0.9	*	*	3.4	*	1.3
32	*	3.5	*	1.1	0.1	*	4.3	*	1.7
33	*	4.0	*	1.7	0.1	0.1	5.2	*	2.0
34	*	5.2	*	2.4	0.2	0.1	6.0	*	2.4
35	*	5.4	0.1	2.9	0.4	0.3	6.7	0.1	2.7
36	0.1	7.0	0.2	3.9	0.5	0.5	7.3	0.2	3.1
37	0.3	8.4	0.3	5.1	0.9	0.8	7.5	0.5	3.4
38	0.6	8.1	0.7	6.3	1.5	1.4	7.6	1.4	3.8
39	1.2	8.5	1.4	7.1	2.3	2.4	7.4	2.0	4.2
40	2.5	8.8	2.6	8.1	3.6	3.8	6.9	2.9	4.8
41	4.2	8.2	4.6	8.9	5.3	5.7	6.2	4.5	5.5
42	5.8	7.1	7.0	9.2	7.8	7.8	5.3	6.0	6.1
43	7.4	5.8	9.2	8.8	10.8	9.5	4.3	7.6	6.6
44	8.5	4.8	10.8	7.6	13.7	10.5	3.4	9.3	7.1
45	8.7	3.4	11.9	6.3	15.7	10.3	2.6	10.2	7.5
46	9.1	1.9	12.3	5.1	14.3	9.6	2.1	10.1	7.9
47	9.3	0.9	11.6	3.9	10.8	8.7	1.7	9.6	7.6
48	9.4	0.4	9.5	2.9	6.8	7.2	1.4	9.1	6.6
49	8.4	0.2	6.9	1.9	3.5	5.9	1.1	8.2	5.0
50	7.1	*	4.5	1.1	1.2	4.8	0.8	7.0	3.3
51	5.8	*	2.8	0.7	0.3	3.8	0.6	4.9	2.0
52	4.3	*	1.8	0.5	0.1	2.8	0.4	3.4	1.2
53	3.1	*	1.0	0.4	*	1.9	0.3	1.9	0.7
54	2.1	-	0.5	0.2	*	1.1	0.2	0.8	0.3
55	1.2	*	0.2	0.1	*	0.5	0.1	0.3	0.2
56	0.6	-	*	0.1	-	0.2	0.1	*	0.1
57	0.2	-	*	0.1	-	*	*	*	*
58	*	-	*	*	-	*	*	-	*
59	-	-	-	*	-	-	*	-	*
60 & above	-	-	-	*	-	-	*	-	*
<b>Average mike</b>	<b>47</b>	<b>38</b>	<b>46</b>	<b>41</b>	<b>44</b>	<b>45</b>	<b>38</b>	<b>46</b>	<b>46</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	*	-	-	-	-	-	-	-	*
19	-	-	*	*	-	*	*	-	*
20	*	*	*	*	*	*	*	-	*
21	*	*	*	*	*	*	*	-	*
22	*	*	*	*	*	*	*	*	*
23	*	0.2	0.1	0.1	0.1	*	0.1	*	0.1
24	0.1	0.7	0.7	0.2	0.4	0.1	0.5	0.2	0.3
25	0.3	2.5	3.4	0.6	1.8	0.6	1.9	1.3	1.4
26	1.7	6.8	9.7	2.2	6.9	2.7	5.5	4.6	4.5
27	6.8	13.5	19.2	7.4	17.8	9.5	12.4	12.2	11.4
28	18.1	20.3	24.3	15.0	25.8	21.9	20.5	20.0	20.5
29	28.7	22.2	20.0	20.5	21.7	28.9	23.3	22.3	23.9
30	24.8	18.1	12.5	21.5	13.7	21.1	18.0	17.6	17.9
31	12.1	9.3	6.2	16.4	6.9	9.6	10.1	12.2	9.6
32	5.1	4.0	2.7	9.7	3.2	3.5	4.7	6.1	4.6
33	1.6	1.6	1.0	4.4	1.2	1.4	1.9	2.5	2.2
34	0.5	0.5	0.2	1.5	0.3	0.5	0.7	0.8	1.3
35	0.1	0.1	*	0.4	*	0.1	0.2	0.2	1.1
36 & above	*	*	*	0.1	*	*	0.1	*	1.1
<b>Average strength</b>	<b>29.4</b>	<b>28.8</b>	<b>28.3</b>	<b>29.7</b>	<b>28.5</b>	<b>29.1</b>	<b>28.9</b>	<b>29.1</b>	<b>29.2</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 30, 2006

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	*	-	-	-	-	-	-
72.5-73.4	-	-	*	-	-	-	-	-	-
73.5-74.4	-	*	*	*	-	-	-	-	*
74.5-75.4	-	*	*	*	-	*	*	-	*
75.5-76.4	-	0.1	*	*	-	*	*	*	*
76.5-77.4	0.3	0.8	*	0.1	0.3	0.2	0.3	0.5	0.1
77.5-78.4	3.2	3.3	0.7	0.6	3.5	5.1	2.7	5.5	2.3
78.5-79.4	11.4	11.3	4.5	2.5	16.0	20.3	14.9	24.0	12.9
79.5-80.4	23.4	28.2	15.6	5.9	39.6	36.9	30.7	32.5	28.0
80.5-81.4	31.1	34.6	32.2	12.4	30.1	25.0	31.3	22.5	30.3
81.5-82.4	22.5	17.5	36.4	33.8	8.8	9.9	17.6	11.9	20.3
82.5-83.4	7.0	3.8	9.8	32.9	1.5	2.3	2.4	2.9	5.6
83.5-84.4	1.0	0.4	0.9	8.3	0.1	0.2	0.1	0.2	0.5
84.5-85.4	*	*	*	2.7	*	*	*	*	*
85.5-86.4	-	-	*	0.8	-	*	-	-	*
86.5-87.4	-	-	-	0.1	-	-	-	-	-
87.5-88.4	-	-	-	*	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>80.8</b>	<b>80.6</b>	<b>81.3</b>	<b>82.3</b>	<b>80.3</b>	<b>80.2</b>	<b>80.5</b>	<b>80.2</b>	<b>80.7</b>
<b>TRASH 2/</b>									
0.0	-	*	*	*	-	*	-	*	*
0.1	0.6	47.6	0.3	26.2	1.1	0.7	0.4	4.8	0.9
0.2	8.9	33.5	5.0	44.0	16.4	11.6	5.4	25.4	9.1
0.3	22.7	9.2	17.1	18.4	35.1	29.5	14.7	31.3	20.9
0.4	21.8	3.5	23.0	6.6	24.3	24.9	15.0	18.9	21.6
0.5	19.1	2.2	20.9	2.7	14.0	17.0	15.5	10.4	18.1
0.6	12.5	1.3	15.4	1.2	5.8	8.9	12.8	5.1	13.3
0.7	7.2	1.0	9.2	0.5	2.2	4.2	11.1	2.4	7.9
0.8	3.5	0.6	5.0	0.2	0.7	1.8	7.7	1.0	4.3
0.9	1.9	0.4	2.6	0.1	0.3	0.9	6.1	0.4	2.3
1.0	0.8	0.2	0.8	*	0.1	0.3	4.1	0.1	0.8
1.1	0.5	0.1	0.4	*	*	0.1	2.5	0.1	0.5
1.2	0.3	0.1	0.2	*	*	0.1	1.7	*	0.2
1.3	0.1	0.1	*	*	*	*	1.1	*	*
1.4	0.1	*	*	*	*	*	0.8	*	*
1.5	*	*	*	*	*	*	0.4	*	*
1.6	*	*	*	*	-	*	0.3	*	*
1.7	*	*	*	*	-	*	0.2	*	*
1.8 & above	*	*	*	*	-	*	0.3	*	*
<b>Average trash</b>	<b>0.46</b>	<b>0.20</b>	<b>0.50</b>	<b>0.22</b>	<b>0.37</b>	<b>0.41</b>	<b>0.60</b>	<b>0.34</b>	<b>0.47</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 30, 2006

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>UNIFORMITY 1/</b>									
72.4 & below	*	-	-	-	-	-	*	-	*
72.5-73.4	*	-	-	-	-	-	*	-	*
73.5-74.4	*	*	-	*	-	*	*	-	*
74.5-75.4	*	*	*	*	*	*	*	-	*
75.5-76.4	*	0.2	*	0.1	*	*	0.3	-	0.1
76.5-77.4	*	1.4	*	0.5	0.1	*	1.7	*	0.7
77.5-78.4	0.2	5.6	0.6	2.6	1.8	0.6	6.8	*	3.9
78.5-79.4	1.3	18.4	3.8	10.7	11.6	3.7	18.2	0.5	13.1
79.5-80.4	7.8	30.9	13.9	27.3	30.6	14.7	30.2	3.6	25.2
80.5-81.4	25.3	27.5	31.3	34.4	31.5	32.7	27.6	17.6	27.9
81.5-82.4	41.8	12.2	34.4	19.4	17.8	33.9	12.4	39.7	20.5
82.5-83.4	21.2	3.1	14.0	4.7	5.9	12.9	2.5	30.3	7.3
83.5-84.4	2.3	0.5	2.0	0.4	0.8	1.5	0.2	8.0	1.0
84.5-85.4	0.1	*	*	*	*	*	*	0.3	0.1
85.5-86.4	*	-	*	-	-	*	*	-	*
86.5-87.4	-	-	*	-	-	-	*	-	*
87.5-88.4	-	-	-	-	-	-	-	-	*
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.8</b>	<b>80.3</b>	<b>81.5</b>	<b>80.7</b>	<b>80.7</b>	<b>81.4</b>	<b>80.2</b>	<b>82.2</b>	<b>80.7</b>
<b>TRASH 2/</b>									
0.0	*	*	-	*	*	*	*	-	*
0.1	0.8	49.2	*	21.4	0.1	0.9	16.6	*	9.4
0.2	10.0	35.1	1.0	37.7	3.8	9.4	35.3	1.4	21.5
0.3	24.5	10.1	8.3	22.4	18.0	21.9	23.3	10.3	21.7
0.4	26.2	3.2	17.1	8.6	23.1	24.6	11.3	19.4	16.8
0.5	19.0	1.3	22.6	4.8	22.0	19.2	6.1	24.5	12.6
0.6	11.1	0.5	19.8	2.3	15.0	12.1	3.2	19.9	8.2
0.7	5.0	0.2	13.9	1.3	8.9	6.4	1.8	12.7	4.7
0.8	2.1	0.1	7.7	0.6	4.3	3.1	0.9	6.1	2.4
0.9	0.8	*	4.7	0.4	2.4	1.5	0.6	3.3	1.4
1.0	0.2	*	2.1	0.2	1.0	0.4	0.3	1.2	0.5
1.1	0.1	*	1.2	0.1	0.6	0.2	0.2	0.6	0.3
1.2	*	*	0.7	0.1	0.3	0.1	0.1	0.3	0.2
1.3	*	*	0.3	*	0.1	*	0.1	0.1	0.1
1.4	*	*	0.2	*	0.1	*	0.1	*	*
1.5	*	-	0.1	*	*	*	*	*	*
1.6	*	*	0.1	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	*	0.1	*	*	*	*	*	*
<b>Average trash</b>	<b>0.42</b>	<b>0.18</b>	<b>0.58</b>	<b>0.26</b>	<b>0.50</b>	<b>0.45</b>	<b>0.29</b>	<b>0.55</b>	<b>0.38</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. \* Less than 0.05 percent.



Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 30, 2006

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	1.7	6.5	0.8	0.3	5.8
	2	7.1	4.8	2.2	0.6	4.5
	3	-	*	*	-	*
	4	-	-	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		8.8	11.4	3.0	0.9	10.3
02	1	1.8	6.7	2.6	4.1	6.4
	2	72.0	54.9	66.5	83.9	57.5
	3	11.7	13.6	20.0	6.1	13.3
	4	0.3	0.7	2.3	*	0.7
	5	-	*	0.3	*	*
	6	-	*	*	-	*
	7	-	-	-	-	-
Total -----		85.9	75.9	91.8	94.0	77.8
03	1	-	*	*	0.2	*
	2	1.0	2.8	0.3	3.1	2.7
	3	2.1	5.7	1.2	1.5	5.2
	4	0.9	2.2	1.9	0.1	2.0
	5	0.3	0.3	0.8	*	0.3
	6	-	*	0.1	-	*
	7	-	-	-	-	-
Total -----		4.4	11.0	4.4	4.9	10.2
04	1	-	*	-	-	*
	2	*	0.1	*	*	0.1
	3	0.1	0.5	*	0.1	0.4
	4	0.1	0.7	0.4	*	0.6
	5	0.4	0.2	0.1	*	0.2
	6	0.1	*	*	-	*
	7	-	*	-	-	*
Total -----		0.8	1.4	0.6	0.1	1.3
05	1	-	*	-	-	*
	2	-	*	*	-	*
	3	0.1	0.1	*	-	0.1
	4	*	0.1	*	-	0.1
	5	*	*	0.1	*	*
	6	-	*	*	*	*
	7	-	*	-	-	*
Total -----		0.1	0.2	0.1	*	0.2
06	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	*	-	*
	7	-	*	-	-	*
Total -----		-	0.1	*	-	0.1
07	1	-	-	-	-	-
	2	-	*	*	-	*
	3	*	*	*	-	*
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		*	*	*	-	*
STAPLE						
40 & shorter		-	*	-	-	*
42		-	*	0.1	0.3	*
44		10.2	1.3	7.4	19.4	2.9
46		35.6	19.0	53.5	59.5	23.2
48 & longer		54.2	79.7	39.0	20.8	73.9
Average		47.0	47.9	46.6	46.0	47.7
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	*	-	-	*
79.5-80.4		-	*	*	*	*
80.5-81.4		0.1	0.4	0.3	0.2	0.3
81.5-82.4		1.0	1.5	2.0	1.2	1.5
82.5-83.4		6.3	4.6	10.2	8.0	5.1
83.5-84.4		20.5	11.6	27.8	27.6	13.4
84.5-85.4		31.7	30.8	36.0	37.4	31.5
85.5-86.4		24.6	37.6	19.3	20.8	35.6
86.5-87.4		12.8	11.7	4.2	4.3	11.0
87.5-88.4		2.9	1.7	0.4	0.3	1.6
88.5-89.4		0.2	0.1	-	*	0.1
89.5 & above		-	*	-	-	*
Average		85.2	85.4	84.7	84.8	85.3
BALES CLASSED		6,692	536,940	20,609	42,338	606,579

\* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 30, 2006

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	0.3	0.2	-	0.3
27 - 29	0.4	2.5	1.1	0.2	2.3
30 - 32	0.4	3.8	3.7	2.7	3.7
33 - 34	1.1	2.5	5.1	3.0	2.6
35 - 36	2.8	4.6	10.4	4.9	4.8
37 - 42	74.6	70.4	58.4	60.1	69.3
43 - 49	20.6	15.9	21.1	29.1	17.0
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>39</b>	<b>41</b>	<b>40</b>
ALL MIKE					
24 & below	-	*	-	-	*
25	-	0.1	0.1	-	0.1
26	-	0.2	0.1	-	0.2
27	-	0.5	0.2	*	0.4
28	0.2	0.8	0.4	*	0.8
29	0.3	1.2	0.5	0.2	1.1
30	0.1	1.3	0.7	0.5	1.2
31	0.2	1.3	1.3	0.9	1.3
32	0.2	1.2	1.7	1.4	1.2
33	0.4	1.1	2.1	1.5	1.2
34	0.7	1.3	3.0	1.4	1.4
35	1.1	1.8	4.4	1.9	1.8
36	1.7	2.9	6.0	2.9	3.0
37	3.9	5.0	8.2	4.7	5.1
38	7.1	8.6	9.3	7.6	8.5
39	14.1	12.8	9.3	9.7	12.5
40	17.3	15.3	10.4	12.9	15.0
41	15.3	15.1	10.9	13.7	14.9
42	17.0	13.5	10.2	11.6	13.3
43	12.9	9.3	8.2	9.2	9.3
44	5.9	4.5	5.6	7.0	4.8
45	1.5	1.6	3.9	5.5	1.9
46	0.2	0.3	2.1	4.1	0.7
47	0.1	0.1	0.9	2.1	0.2
48	*	*	0.3	0.8	0.1
49	-	*	0.1	0.2	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>39</b>	<b>41</b>	<b>40</b>
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	*	-	-	*
29	-	*	-	-	*
30	-	*	*	-	*
31	0.1	0.1	0.5	0.1	0.1
32	0.1	0.2	1.9	0.3	0.3
33	2.0	0.5	2.8	0.7	0.6
34	2.5	1.0	3.6	1.4	1.1
35	2.8	1.9	4.9	3.1	2.1
36	4.9	2.9	7.3	7.4	3.4
37	7.8	4.0	11.1	13.8	4.9
38	12.9	6.3	15.4	17.8	7.5
39	16.2	10.7	16.0	18.8	11.5
40	18.0	16.6	14.2	15.6	16.5
41	15.0	19.6	10.0	10.2	18.5
42	10.3	16.3	6.1	5.9	15.2
43	5.0	10.6	3.5	3.0	9.7
44	1.8	5.6	1.6	1.4	5.1
45 & above	0.8	3.7	0.9	0.6	3.3
<b>Average</b>	<b>39.3</b>	<b>40.6</b>	<b>38.5</b>	<b>38.8</b>	<b>40.3</b>
EXTRANEIOUS MATTER					
Bark	2.0	0.5	1.6	0.5	0.5
Grass	0.1	0.1	0.5	0.5	0.2
Spindle Twist	0.1	0.3	0.1	*	0.3
Preparation	-	1.1	-	*	1.0

\* Less than 0.05 percent.



1022873318